

Avaya Accessibility Conformance Report

VPAT® Version 2.1 – March 2018

Name of Product/Version: Avaya Aura® Experience Portal 7.2.3

Product Description: Avaya Aura® Experience Portal is an omnichannel automated customer care platform that provides organizations with a single point of orchestration for all self-service and integrated voice response (IVR) applications across inbound and outbound phone, email, SMS and Mobile-Web applications.

Date: 2 September 2019

Contact information: Hemang Shah (hemangshah@avaya.com)

Notes: Experience Portal software does not include any built-in customer-facing applications, chiefly because owners of Experience Portal tend to have their own unique customer-facing requirements. With regard specifically to support for accessibility, the Experience Portal application-building toolkit allows administrators of the product to build customer-facing applications that can comply fully with the Section 508 standards.

The purpose of the typical Experience Portal application is to provide telephone users with a voice-based natural-language interface. Despite having been designed as a voice input/output product, Experience Portal is able to accept DTMF “touch tone” responses and is also able to provide Baudot-format prompts for TTY users. Experience Portal 7.2.3 also supports the development of visual Web-based (HTML 5) self-service applications for smart phones. An important benefit is that visual IVR applications can enhance accessibility for users with hearing impairments.

Evaluation Methods Used: Conformance to the listed accessibility standards has been evaluated by the Product manager with the help of product development team mostly with the knowledge of the product.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0, at http://www.w3.org/TR/2008/REC-WCAG20-20081211/	Level A - Yes Level AA - Yes

	Level AAA - No
Revised Section 508 standards as published by the U.S. Access Board in the Federal Register on January 18, 2017 Corrections to the ICT Final Rule as published by the US Access Board in the Federal Register on January 22, 2018	Yes

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Supports with Exceptions:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.0 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Chapter 10 - Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 - Non-Web Software (closed functionality).
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports with Exceptions	Some non-text elements on the Experience Portal 7.2.3 web admin interface pages do not have text alternatives.
1.2.1 Audio-only and Video-only (Prerecorded) (Level	Not Applicable	There is no pre-recorded audio-only or

Criteria	Conformance Level	Remarks and Explanations
A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		video-only content in Experience Portal 7.2.3 web admin interface.
1.2.2 Captions (Prerecorded) (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	There is no pre-recorded audio or video content in Experience Portal 7.2.3 web admin interface.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	There is no pre-recorded audio or video content in Experience Portal 7.2.3 web admin interface.
1.3.1 Info and Relationships (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Experience Portal 7.2.3 web admin interface uses correct semantic structure in HTML, including labels and table headers. Validation of HTML structure is carried out when the application is built.
1.3.2 Meaningful Sequence (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Experience Portal 7.2.3 web admin interface content is presented in a logical sequence.
1.3.3 Sensory Characteristics (Level A) Also applies to: <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Experience Portal 7.2.3 web admin interface uses multiple visual cues to help the user interact with the user interface.
1.4.1 Use of Color (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Experience Portal 7.2.3 web admin interface uses a text alternative wherever color is used.
1.4.2 Audio Control (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Experience Portal 7.2.3 web admin interface doesn't have any audio which plays automatically.
2.1.1 Keyboard (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) 	Supports	Experience Portal 7.2.3 web admin interface enables the user perform actions and navigate using keyboard only.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Experience Portal 7.2.3 web admin interface doesn't have any keyboard traps.
<p>2.2.1 Timing Adjustable (Level A)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Experience Portal 7.2.3 web admin interface included in the product doesn't have any time-based input.
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Experience Portal 7.2.3 web admin interface doesn't have any moving, blinking, scrolling, or auto-updating information.
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	Experience Portal 7.2.3 web admin interface doesn't have any flashing or blinking information.
<p>2.4.1 Bypass Blocks (Level A)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports with Exceptions	Experience Portal 7.2.3 web admin interface does not provide a method to skip repetitive navigation links.
<p>2.4.2 Page Titled (Level A)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	All pages on the Experience Portal 7.2.3 web admin interface are titled.
<p>2.4.3 Focus Order (Level A)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	All navigational elements and forms in the Experience Portal 7.2.3 web admin interface follow a logical order that makes sense to the user.
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	All links within the Experience Portal 7.2.3 web admin interface have a clear title or tool tips that makes it clear to the user the purpose and destination of that link.

Criteria	Conformance Level	Remarks and Explanations
3.1.1 Language of Page (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Experience Portal 7.2.3 web admin interface uses the language selected in the browser for displaying the pages.
3.2.1 On Focus (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Focus within the Experience Portal 7.2.3 web admin interface does not change unexpectedly. The user has to explicitly perform an action in order for focus to change.
3.2.2 On Input (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	In the Experience Portal 7.2.3 web admin interface changes to input fields only change context when it is made clear to the user their action will cause this change.
3.3.1 Error Identification (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Whenever a user inputs incorrect data in the Experience Portal 7.2.3 web admin interface, a clear message by both color and text is displayed to inform where the error has occurred.
3.3.2 Labels or Instructions (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	All forms within the Experience Portal 7.2.3 web admin interface adhere to W3C standards and use labels to provide cues to the user.
4.1.1 Parsing (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Experience Portal 7.2.3 web admin interface uses well formed HTML and strictly adheres to best practices to allow parsing of the pages.
4.1.2 Name, Role, Value (Level A) 2017 Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Experience Portal 7.2.3 web admin interface uses well formed HTML and strictly adheres to best practices to allow parsing of the pages.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) 2017 Section 508	Not Applicable	There is no live audio or video content in the Experience Portal 7.2.3 web admin

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		interface.
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	There is no pre-recorded audio content in the Experience Portal 7.2.3 web admin interface.
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Throughout the Experience Portal 7.2.3 web admin interface strong adherence to WCAG 2.0 Level AA color contrast rules have been adhered to.
<p>1.4.4 Resize text (Level AA)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Experience Portal 7.2.3 web admin interface supports the increase of default font size in the browser to 200%, whereby the content is still visible to the user.
<p>1.4.5 Images of Text (Level AA)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Textual information on the Experience Portal 7.2.3 web admin interface pages is provided by the browser through operating system functions.
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports with Exceptions	Experience Portal 7.2.3 web admin interface provides only one way to locate the content on the pages.
<p>2.4.6 Headings and Labels (Level AA)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	All headings and labels in the Experience Portal 7.2.3 web admin interface are descriptive and have a clear indication to the user what they represent.
<p>2.4.7 Focus Visible (Level AA)</p> <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports with Exceptions	The focus is not clearly visible on some of the elements the Experience Portal 7.2.3 web admin interface pages (The ability to provide a “well-defined on-screen indication of the current focus” is dependent on the browser.)
<p>3.1.2 Language of Parts (Level AA)</p> <p>2017 Section 508</p>	Supports	Experience Portal 7.2.3 web admin interface allows the user to choose the

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		preferred language through the web browser settings for the application. When the language is changed it is clear to assistive Technologies what language the application is using.
3.2.3 Consistent Navigation (Level AA) 2017 Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Experience Portal 7.2.3 web admin interface maintains a consistent layout, whereby controls and content are presented to the user in a clearly identifiable theme.
3.2.4 Consistent Identification (Level AA) 2017 Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Experience Portal 7.2.3 web admin interface displays icons with alt tags and/or are also shown with text labels.
3.3.3 Error Suggestion (Level AA) <ul style="list-style-type: none"> 2017 Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	When an error occurs within the Experience Portal 7.2.3 web admin interface either a suggestion is provided when it make sense or an error code is displayed to the user with a message to contact their system administrator.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) 2017 Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	Experience Portal 7.2.3 web admin interface does not require the user to submit legal or financial data.

2017 Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes:

Criteria	Conformance Level	Remarks and Explanations
----------	-------------------	--------------------------

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports with Exceptions	<p>Experience Portal 7.2.3 allows the owners and managers of the system to create telephone user interfaces that are operable without user vision.</p> <p>Experience Portal 7.2.3 web admin interface doesn't fully support users without vision, please see "W3C WCAG 2.0 Level A and AA for Web Application" table for more details.</p>
302.2 With Limited Vision	Supports with Exceptions	<p>Experience Portal 7.2.3 allows the owners and managers of the system to create telephone user interfaces that are operable with limited vision.</p> <p>Experience Portal 7.2.3 web admin interface doesn't fully support users with limited vision, please see "W3C WCAG 2.0 Level A and AA for Web Application" table for more details.</p>
302.3 Without Perception of Color	Supports	<p>Any visual elements in the Experience Portal 7.2.3 web admin interface pages that are represented by color, also have an alternative visual identifier for users without perception of color.</p>
302.4 Without Hearing	Supports	<p>Experience Portal 7.2.3 can provide 45.45 baud and 50 baud Baudot-format prompts to TTY users. Regardless of whether the prompts are voice or TTY, users may respond by voice or via DTMF "touch tone" key presses. In addition, Experience Portal 7.2.3 supports the creation of visual HTML 5 applications for smart phones. This allows visual IVR applications to be developed that support users with hearing loss.</p> <p>Experience Portal 7.2.3 web admin interface doesn't include any audio cues.</p>
302.5 With Limited Hearing	Supports	<p>Experience Portal 7.2.3 can provide 45.45 baud and 50 baud Baudot-format prompts to TTY users. Regardless of whether the prompts are voice or TTY, users may respond by voice or via DTMF "touch tone" key presses. In addition, Experience Portal 7.2.3 supports the</p>

Criteria	Conformance Level	Remarks and Explanations
		creation of visual HTML 5 applications for smart phones. This allows visual IVR applications to be developed that support users with limited hearing. Experience Portal 7.2.3 web admin interface doesn't include any audio cues.
302.6 Without Speech	Supports	Experience Portal 7.2.3 allows the owners and managers of the system to create telephone user interfaces that are operable without user speech. (Typically, this is achieved by allowing DTMF "touch tone" key presses whenever user input is required.) Experience Portal 7.2.3 web admin interface doesn't require any audio input.
302.7 With Limited Manipulation	Supports with Exceptions	Experience Portal 7.2.3 web admin interface doesn't fully support users with limited manipulation, please see "W3C WCAG 2.0 Level A and AA for Web Application" table for more details.
302.8 With Limited Reach and Strength	Supports	Experience Portal 7.2.3 web admin interface makes extensive use of best practices for multiple input mechanism.
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	Experience Portal 7.2.3 web admin interface is designed to be intuitive and easily interpreted by a user with limited training. There are many visual cues in the user interface, strong iconography and simple terminology all help in making the product accessible to users with limited language, cognitive and learning abilities.

Chapter 4: Hardware

Notes:

Criteria	Conformance Level	Remarks and Explanations
402 Closed Functionality	Heading cell – no response required	Heading cell – no response required
402.1 General	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
402.2 Speech-Output Enabled	Heading cell – no response required	Heading cell – no response required
402.2.1 Information Displayed On-Screen	Not Applicable	Experience Portal 7.2.3 is a software only product.
402.2.2 Transactional Outputs	Not Applicable	Experience Portal 7.2.3 is a software only product.
402.2.3 Speech Delivery Type and Coordination	Not Applicable	Experience Portal 7.2.3 is a software only product.
402.2.4 User Control	Not Applicable	Experience Portal 7.2.3 is a software only product.
402.2.5 Braille Instructions	Not Applicable	Experience Portal 7.2.3 is a software only product.
402.3 Volume	Heading cell – no response required	Heading cell – no response required
402.3.1 Private Listening	Not Applicable	Experience Portal 7.2.3 is a software only product.
402.3.2 Non-private Listening	Not Applicable	Experience Portal 7.2.3 is a software only product.
402.4 Characters on Display Screens	Not Applicable	Experience Portal 7.2.3 is a software only product.
402.5 Characters on Variable Message Signs	Not Applicable	Experience Portal 7.2.3 is a software only product.
403 Biometrics	Heading cell – no response required	Heading cell – no response required
403.1 General	Not Applicable	Experience Portal 7.2.3 is a software only product.
404 Preservation of Information Provided for Accessibility	Heading cell – no response required	Heading cell – no response required
404.1 General	Supports	The manner in which Experience Portal 7.2.3 conforms to this requirement is described in the response to 412.8.3.
405 Privacy	Heading cell – no response required	Heading cell – no response required
405.1 General	Not Applicable	Experience Portal 7.2.3 is a software only product.
406 Standard Connections	Heading cell – no response required	Heading cell – no response required
406.1 General	Not Applicable	Experience Portal 7.2.3 is a software only product.
407 Operable Parts	Heading cell – no response required	Heading cell – no response required
407.2 Contrast	Not Applicable	Experience Portal 7.2.3 is a software only product.
407.3 Input Controls	Heading cell – no	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
	response required	
407.3.1 Tactilely Discernible	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
407.3.2 Alphabetic Keys	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
407.3.3 Numeric Keys	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
407.4 Key Repeat	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
407.5 Timed Response	Supports	<p>Experience Portal 7.2.3 supports the creation of applications that do not require a response within a time interval.</p> <p>A reason why IVR applications often</p>

Criteria	Conformance Level	Remarks and Explanations
		<p>require a response within a time interval is that, if the application does not disconnect or take other action automatically after a period of user inactivity, it becomes possible for callers to freeze the ports on the system indefinitely.</p> <p>Experience Portal 7.2.3 permits time limits to be handled in a flexible, user-friendly manner. Within applications that impose a time limit on users' responses, the time-out interval may be specified within the application, along with the behaviour of the system when time is about to expire. System responses that may be specified in the applications include, but are not limited to, providing an alert when the time interval is about to run out and providing sufficient time for the user to indicate more time is required, repeating the menu, and transferring the call automatically to a person who can assist the caller.</p> <p>NOTE: In most cases, the applications that operate on Experience Portal platforms are implemented by the owners and managers of the systems, rather than by Avaya. For this reason, even though Avaya provides tools that allow fully conformant applications to be implemented, it will often be the purchaser's responsibility to ensure conformance with this requirement.</p>
407.6 Operation	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
407.7 Tickets, Fare Cards, and Keycards	Not Applicable	This requirement applies to endpoint

Criteria	Conformance Level	Remarks and Explanations
		<p>devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
407.8 Reach Height and Depth	Heading cell – no response required	Heading cell – no response required
407.8.1 Vertical Reference Plane	Not Applicable	Experience Portal 7.2.3 is a software only product
407.8.1.1 Vertical Plane for Side Reach	Not Applicable	Experience Portal 7.2.3 is a software only product
407.8.1.2 Vertical Plane for Forward Reach	Not Applicable	Experience Portal 7.2.3 is a software only product
407.8.2 Side Reach	Not Applicable	Experience Portal 7.2.3 is a software only product
407.8.2.1 Unobstructed Side Reach	Not Applicable	Experience Portal 7.2.3 is a software only product
407.8.2.2 Obstructed Side Reach	Not Applicable	Experience Portal 7.2.3 is a software only product
407.8.3 Forward Reach	Not Applicable	Experience Portal 7.2.3 is a software only product
407.8.3.1 Unobstructed Forward Reach	Not Applicable	Experience Portal 7.2.3 is a software only product
407.8.3.2 Obstructed Forward Reach	Not Applicable	Experience Portal 7.2.3 is a software only product
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach	Not Applicable	Experience Portal 7.2.3 is a software only product
407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach	Not Applicable	Experience Portal 7.2.3 is a software only product
408 Display Screens	Heading cell – no response required	Heading cell – no response required
408.2 Visibility	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>

Criteria	Conformance Level	Remarks and Explanations
408.3 Flashing	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
409 Status Indicators	Heading cell – no response required	Heading cell – no response required
409.1 General	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
410 Color Coding	Heading cell – no response required	Heading cell – no response required
410.1 General	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
411 Audible Signals	Heading cell – no response required	Heading cell – no response required
411.1 General	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>

Criteria	Conformance Level	Remarks and Explanations
412 ICT with Two-Way Voice Communication	Heading cell – no response required	Heading cell – no response required
412.2 Volume Gain	Heading cell – no response required	Heading cell – no response required
412.2.1 Volume Gain for Wireline Telephones	Supports	All user-adjustable audio characteristics on Experience Portal 7.2.3 systems, such as playback amplitude, playback rate, and call-answer prompting language, can be programmed in the application layer to reset automatically to their default values when the user hangs up.
412.2.2 Volume Gain for Non-Wireline ICT	Supports with Exceptions	<p>Experience Portal 7.2.3 conforms to this requirement, within the limitations of the VoiceXML 2.0/2.1 standard and to the extent feasible with equipment that is not co-located with the user.</p> <p>The voice prompts provided by Experience Portal 7.2.3 can consist of pre-recorded speech or can be generated by text-to-speech software.</p> <p>The VoiceXML 2.0/2.1 standard utilized by Experience Portal does not support audio gain adjustments of pre-recorded speech. Conformance with this requirement can be achieved by creating and storing multiple versions of each speech recording, encoded at different amplitude levels. Alternatively, the amplitude of text-to-speech audio output can be modified in the Speech Synthesis Markup Language (SSML). The available user-adjustable amplitude range (i.e., the lowest user-selectable amplitude versus the highest user-selectable amplitude) is determined by the third-party speech technology that is used.</p> <p>NOTE: None of the commonly accepted standards for voice communication between telephones and associated back-office equipment (such as IVR systems) has 20 dB of amplitude headroom available. Under typical conditions, the maximum additional gain in the output of</p>

Criteria	Conformance Level	Remarks and Explanations
		back-office systems, without introducing unacceptable levels of distortion, is approximately 10 dB. For this reason, users who require low-distortion amplitude increases of more than 10 dB above the nominal level should rely on their endpoint devices (e.g., their telephones), rather than the Experience Portal, to provide this gain. All Avaya desktop telephones may be equipped with user-adjustable variable amplified handsets that satisfy this requirement.
412.3 Interference Reduction and Magnetic Coupling	Heading cell – no response required	Heading cell – no response required
412.3.1 Wireless Handsets	Not Applicable	<p>This requirement applies to transducer-equipped endpoint devices, such as telephone handsets and headsets. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
412.3.2 Wireline Handsets	Not Applicable	<p>This requirement applies to transducer-equipped endpoint devices, such as telephone handsets and headsets. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
412.4 Digital Encoding of Speech	Does Not Support	Experience Portal 7.2.3 currently doesn't support G.722.2 codec.
412.5 Real-Time Text Functionality	Reserved for future	Reserved for future
412.6 Caller ID	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>

Criteria	Conformance Level	Remarks and Explanations
412.7 Video Communication	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
412.8 Legacy TTY Support	Heading cell – no response required	Heading cell – no response required
412.8.1 TTY Connectability	Supports	<p>For users of TTYs, Experience Portal 7.2.3 supports the development of VoiceXML applications that prompt users in TTY format. Users may respond by voice or via DTMF “touch tone” entries. (The ability to accept voice responses from TTY users is important because many people who use TTYs prefer to do so in a mixed-mode fashion, the most common being people who are hard of hearing but still able to speak clearly.)</p>
412.8.2 Voice and Hearing Carry Over	Supports	<p>Experience Portal 7.2.3 supports visual HTML 5 applications for smart phones. This allows visual IVR applications to be developed that support users with hearing loss and make it unnecessary for a TTY device to be used.</p>
412.8.3 Signal Compatibility	Supports	<p>The only TTY protocol that the US Access Board presently requires is TIA/EIA 825, commonly referred to as 45.45 baud Baudot signalling. In addition to this protocol, Experience Portal 7.2.3 supports the 50 baud Baudot protocol that is the standard in some non-US markets. Support for protocols such as 300 baud ASCII and 1200 baud ASCII are not feasible because these protocols require a constant carrier tone to be maintained between devices that are communicating with each other, thereby making it impossible to intermix voice and DTMF “touch tone” responses with the TTY transmissions.</p>

Criteria	Conformance Level	Remarks and Explanations
		<p>Please note the following guidance:</p> <p>(1) Experience Portal 7.2.3 can be configured to use any of the voice encoding algorithms supported by the VoiceXML 2.0/2.1 standard. To ensure reliable recording and playback of Baudot TTY signals, a 64 kilobit/second pulse code modulation technique, such as ITU-T Recommendation G.711, must be used.</p> <p>(2) Experience Portal 7.2.3 supports SIP and H.323 telephony integration. If packet loss on the IP network between the Experience Portal and the end-user exceeds 0.12%, the TTY character error rate may exceed the FCC’s suggested limit of one percent. It is the purchaser’s responsibility to ensure that the Experience Portal is used in conjunction with a robust IP network.</p>
412.8.4 Voice Mail and Other Messaging Systems	Supports	<p>In addition to its ability to provide voice prompts, Experience Portal 7.2.3 is able to provide 45.45 baud and 50 baud Baudot-format prompts to TTY users. Regardless of whether the prompts are voice or TTY, users may respond by voice or via DTMF “touch tone” key presses. (Experience Portal’s ability to accept spoken responses, even when prompting in TTY format, can be very helpful to Voice Carry Over or “VCO” users who are unable to hear adequately on a telephone but are nevertheless able to speak clearly.)</p> <p>NOTE: In most cases, the applications that operate on Experience Portal platforms are implemented by the owners and managers of the systems, rather than by Avaya. For this reason, even though Avaya provides tools that allow fully conformant applications to be implemented, it will often be the purchaser’s responsibility to ensure conformance with this requirement.</p>
413 Closed Caption Processing Technologies	Heading cell – no	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
	response required	
413.1.1 Decoding and Display of Closed Captions	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
413.1.2 Pass-Through of Closed Caption Data	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
414 Audio Description Processing Technologies	Heading cell – no response required	Heading cell – no response required
414.1.1 Digital Television Tuners	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
414.1.2 Other ICT	Not Applicable	<p>This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3.</p> <p>There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.</p>
415 User Controls for Captions and Audio Descriptions	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
415.1.1 Caption Controls	Not Applicable	This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3. There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.
415.1.2 Audio Description Controls	Not Applicable	This requirement applies to endpoint devices that are co-located with the user, such as telephones, soft phones, and TTYs. It does not apply to Experience Portal 7.2.3. There is no aspect of Experience Portal 7.2.3 that would interfere with the operation of a conforming endpoint device.

Chapter 6: Support Documentation and Services

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	Will provide upon request.
602.3 Electronic Support Documentation	See <u>WCAG 2.0</u> section	See information in WCAG section
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	Documentation for the product is available within the product and also as a PDF files on the Avaya Support site.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	Contact Avaya Support for accessibility-related issues.
603.3 Accommodation of Communication Needs	Supports	Communication for product sales and support is provided in multiple media channels through the Avaya website.

© 2019 Avaya Inc.

All rights reserved. Except as specifically stated, none of the material may be copied, reproduced, distributed, republished, downloaded, displayed, posted, or transmitted in any form without authorized, prior written permission from Avaya Inc. Permission is granted for you to make a single copy of Avaya Inc. "Section 508" documents, solely for informational and non-commercial use within your organization, provided that you keep intact all copyright and other proprietary notices. No other use of the information provided is authorized.

This market information is provided, pursuant to FAR Part 39.2, to be used by Requiring Officers. It is not intended to represent a certification for compliance. Any statement of compliance or conformance indicated on this document is an indication that the product shall be capable, at the time of its delivery, when used in accordance with Avaya's associated documents, and other written information provided to the government, of providing comparable access to individuals with disabilities consistent with the designated provision of the Standards, provided that any assistive technologies used with the product properly interoperates with it and other assistive technologies.

Updated March 12th, 2019